



NOM DE LA PIECE ASSEMBLAGE - BRAS DE LEVAGE	TOLERANCES		
	FRACTIONS	DECIMALS	ANGLES
MATERIAU N / A	$\pm 1/32$	.XX $\pm .010$	$\pm 1/2^\circ$
		.XXX $\pm .004$	
		.XXXX $\pm .001$	
		PAR Roman Teltzszuk	
CONCEPTION FRANCOIS DELANEY INC.			

FIGURE T



NOM DE LA PIECE ASSEMBLAGE - BRAS DE LEVAGE	TOLERANCES		
	FRACTIONS	DECIMALS	ANGLES
MATERIAU N / A	$\pm 1/32$	XX $\pm .010$ XXX $\pm .004$ XXXX $\pm .001$	$\pm 1/2^\circ$
CONCEPTION FRANCOIS DELANEY INC.	PAR	Roman Telszczuk	



ITEM NO.	QTY.	PART NO.
1	1	BASE TRIANGULAIRE
2	1	TUBE 8.5 OD x .25 MUR x 96 lg
3	3	Al hnr 7.8-9 0.875 B Cos 1
4	3	ROD ENCRAGE .88
5	1	CONTREPOID ACIER (75 LBS)
6	2	SEAL DELRIN 8 x .25
7	1	BUMPER - CONTREPOID
8	1	Al fhc8 1.4-20 1.5 1.5 He Cos 1
9	1	POLE 2 x 3 x .125
10	1	SUPPORT EN H
11	4	POULIE 3.375 po OD-CABLE .094
12	5	BEARING 17 x 40 x .12
13	2	Al dpm .17mm 0.875
14	1	BEARING .25 x .625 x .19
15	1	SPACER .25 x .375 x .325
16	1	Al hcs 1.4-20 1.25 1.25 B Cos 1
17	2	STAPPING .035 x .5 x 144 lg
18	1	PLAQUE 8 dia x .25
19	1	CAP ATTACHE CABLE
20	1	PINE DE POULIE
21	1	BLOCK SUPPORT-PIVOT DE LA POLE
22	1	SPACER .64 x .875 x .375
23	4	Al shcs 5.16-18 0.625 0.625 He Cos 1
24	1	PIN HEX DU PIVOT
25	1	BRACE VERTICALE 2 x 2
26	2	BRACE 1 x 1
27	1	SUPPORT BEARING EXTRUDE
28	1	Al shcs 5.16-18 4.75 0.625 He Cos 1
29	1	CABLE
30	1	COTE BASE BLOCK ATTACHE EQUIPEMENT
31	1	COTE COVER - BLOCK ATTACHE EQUIPEMENT
32	1	Al hnr 1.4-20 0.25 B Cos 1
33	1	VALVE REGULATRICE

NOM DE LA PIECE ASSEMBLAGE - BRAS DE LEVAGE	TOLERANCES		
	FRACTIONS	DECIMALS	ANGLES
MATERIAU	± 1/32	.XX ± .010 .XXX ± .004 .XXXX ± .001	± 1/2 °
CONCEPTION FRANCOIS DELANEY INC.	PAR	Roman Teliszczuk	




FIGURE TV

1/25/01, 6:00 PM




FIGURE V




FIGURE VI






FIGURE VIII



Table 1. Demographic characteristics of the study population	
Age (years)	65.0 ± 10.0
Gender (male/female)	100/100
Education (years)	12.0 ± 2.0
Marital status (married/divorced/widowed)	100/0/0
Occupation (retired/employed)	100/0
Income (USD/month)	1,500 ± 500
Health status (good/fair/poor)	100/0/0
Smoking status (smoker/non-smoker)	50/50
Alcohol consumption (yes/no)	20/80
Comorbidities (hypertension/diabetes/cholesterol)	80/40/60
Medication (antidepressant/antipsychotic)	100/0
Duration of illness (years)	10.0 ± 5.0
Family history (schizophrenia/bipolar disorder)	20/0
Previous hospitalizations (yes/no)	80/20
Current symptoms (positive/negative)	100/0
Functional status (independent/dependent)	100/0
Social support (strong/weak)	50/50
Stress levels (high/low)	60/40
Quality of life (high/low)	50/50
Overall health (good/fair/poor)	100/0/0
Life satisfaction (high/low)	50/50
Self-esteem (high/low)	50/50
Resilience (high/low)	50/50
Optimism (high/low)	50/50
Gratitude (high/low)	50/50
Forgiveness (high/low)	50/50
Compassion (high/low)	50/50
Kindness (high/low)	50/50
Patience (high/low)	50/50
Humility (high/low)	50/50
Modesty (high/low)	50/50
Meekness (high/low)	50/50
Gentleness (high/low)	50/50
Mildness (high/low)	50/50
Peacefulness (high/low)	50/50
Contentment (high/low)	50/50
Reverence (high/low)	50/50
Reverence for God (high/low)	50/50
Reverence for parents (high/low)	50/50
Reverence for teachers (high/low)	50/50
Reverence for elders (high/low)	50/50
Reverence for authority (high/low)	50/50
Reverence for the law (high/low)	50/50
Reverence for the land (high/low)	50/50
Reverence for the sea (high/low)	50/50
Reverence for the sky (high/low)	50/50
Reverence for the sun (high/low)	50/50
Reverence for the moon (high/low)	50/50
Reverence for the stars (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50
Reverence for the water (high/low)	50/50
Reverence for the fire (high/low)	50/50
Reverence for the air (high/low)	50/50
Reverence for the earth (high/low)	50/50





FIGURE IX





FIGURE X

1/25/01, 5:59 PM  
"DOCT 10" 902

ASSY/TUBE DE BASES/DAS/M  
Page 1 of 1

FIGURE XI



1/26/01, 6:32 AM

2007-01-26 06:32 AM

FIGURE XII

